




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61M 35/00		(11) International Publication Number: WO 95/23009
A1		(43) International Publication Date: 31 August 1995 (31.08.95)
(21) International Application Number: PCT/US95/02343		(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG).
(22) International Filing Date: 24 February 1995 (24.02.95)		
(30) Priority Data:		
08/203,230	28 February 1994 (28.02.94) US	
08/266,963	27 June 1994 (27.06.94) US	
(71) Applicant (for all designated States except US): SOF INTERNATIONAL, INC. [US/US]; 3423 Sunset Drive, West Columbia, SC 29169 (US).		Published With international search report.
(72) Inventors; and		
(75) Inventors/Applicants (for US only): SKEWES, Susan [US/US]; 10 Old Barry Road, Quaker Hill, CT 06375 (US). RADDATZ, Russell, E. [US/US]; 3423 Sunset Drive, West Columbia, SC 29169 (US).		
(74) Agents: KOKULIS, Paul, N. et al.; Cushman, Darby & Cushman, 1100 New York Avenue, N.W., Washington, DC 20005 (US).		

(54) Title: METHOD AND SYSTEM FOR CLEANSING THE SKIN

(57) Abstract

This invention is a kit (10) containing a plurality of sheets (12) impregnated with a hydrating, non-ionic cleanser in a microwave heatable container (10) for use in bathing a patient or for personal bathing. The cleanser preferably is a mixture of deionized water, at least one non-ionic surfactant, a humectant and/or a hydrating emollient, and vitamin E that is intended to remain on the skin rather than be rinsed. The solution may also contain a preservative such as biguanide or be sterilized. In use, the kit (10) is heated and then each sheet or mitten is applied to a separate portion of the body, to limit the risk of cross contamination. The cleanser evaporates quickly in air, leaving the skin clean, soft, soothed, nourished and protected.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

METHOD AND SYSTEM FOR CLEANSING THE SKIN

5

BACKGROUND OF THE INVENTION

1. Field of the Invention:

This application is a continuation-in-part of Application Serial No. 08/203,230, filed 02/28/94, now abandoned.

10 The present invention relates generally to cleansing the skin. More particularly, the present invention relates to a method and system for bathing a patient in a hospital, a nursing home or for personal bathing.

2. Discussion of Background:

15 The skin is the largest organ of the human body. As a boundary layer, it has two functions: containing other organs of the body and acting as a barrier. Its effectiveness as a barrier depends on its physical integrity. Preserving that integrity is an important part of maintaining good health. However, when skin is dry, it tends to itch, flake and crack; skin dryness leads to a higher incidence of pruritis and hastens the formation of pressure
20 ulcers, a concern for all patients but an especial concern to elderly and orthopedic patients. In the United States, pressure ulcers cost between \$10 billion and \$15 billion to treat each year, an average of \$45,000 each. The in-hospital death rates for patients with pressure ulcers has been estimated to be as high as 23%. Accordingly, the United States Department of
25 Health and Human Services, Public Health Service, Agency for Health Care Policy & Research, published guidelines in 1992 consistent with the recommendations of the National Pressure Ulcer Advisory Panel that are

directed to care of patients in hospitals (Clinical Practice Guideline No. 3, Pressure Ulcers in Adults: Prediction and Prevention). The guidelines specify avoiding hot water, low humidity, irritating and drying of the skin and encourages the use of mild cleansers in bathing patients.

- 5 Dryness of skin can result from a number of factors, including aging, exposure to wind, heat, air conditioning, and washing with soap. Because the skin of the elderly has less subcutaneous fat, the aging process has been associated with a decrease in the ability of the lipids in skin to bind water. It has been estimated that 59% to 75% of the elderly have
10 some degree of skin impairment upon admission to hospitals.

- Washing with soap is a particular concern for skin condition and health in hospitals. The traditional bath given to patients involves the use of wash cloths, soap and a plastic basin. The basin is filled with warm water and taken to the patient's bedside. The patient is bathed by applying
15 soap to a cloth, rubbing the cloth over the patient's skin, and rinsing the skin with water. The patient's skin is then dried using a towel. The textbook approach recommends frequent changes of the water and the wash cloths.

- In practice, because of time constraints, the textbook approach is
20 seldom observed. Use of the same water and cloth for bathing the entire body results in areas of the patient's body becoming contaminated by bacterial flora carried from other parts. Bars of soap and basins (often stored with bedpans in a warm, dark cabinet between use with the same or a different patient) culture gram-negative bacteria which are pathogenic
25 and can cause impairment and infection of skin tissues. Studies have shown that a patient is usually microbiologically more contaminated after the bath than before.

Another problem with the traditional bathing approach is friction against the skin. Friction from the use of wash cloths and towels damages skin tissue. Furthermore, to reduce the cost of linens -- a major cost factor in hospital budgets --, towels and wash cloths of inferior quality are
5 purchased for patient bathing and they are used longer before being discarded. Consequently, the texture of towels and wash cloths for bathing patients is coarser, further exacerbating the condition of their skin.

Furthermore, the traditional bathing procedure is both time-consuming, requiring 30-45 minutes per patient per day, and has a
10 relatively high direct cost because of the time involved.

Washing with soap also has a high indirect cost. There is a protective coating on the skin formed from sebum secreted by the hair follicles and dead skin cells. This coating, or "acid mantle," has bacteriostatic and fungistatic properties. Soap impairs the skin in two
15 ways. First, soap emulsifies skin lipids which hold moisture, leaving the skin drier; and, second, soap, being alkaline, destroys the acid mantle of the skin. Washing with soap is therefore a major physiological risk to the individual, because bacteria can survive longer on the soap-washed skin and can gain entrance to the interior skin layers and the blood stream
20 through dried, cracked skin or pressure ulcers.

In the January 1994 issue of RN Magazine, a procedure was reported for bathing patients that is not based on this traditional procedure. The new procedure involves use of a set of wash cloths soaked in a dilute solution of a cleanser composed substantially of mild soap and water. This
25 cleanser does not need to be rinsed; it evaporates quickly from the skin. The cloths are placed in a plastic bag, heated in a microwave oven until warm, and then applied to defined areas of a patient's body, one cloth per

area. The cloths are laundered between uses. There is no basin. The cleanser is not rinsed, but dries quickly without toweling. Only the areas with large skin folds are gently patted dry. An extensive study of this procedure compared to the traditional one showed that the patient's felt
5 cleaner, skin condition was better and the costs were reduced by a factor of four, largely because of less time being needed to bathe a patient. Skin integrity improved statistically by 56% from admission to discharge from the hospital. However, the time taken to bathe a patient was partially offset by the labor involved in preparing the cloths. Furthermore, the
10 clothes cannot be prepared far in advance because of the limited storage space and, more importantly, the inevitable growth of bacteria associated with this procedure.

There have been other attempts to develop a product for bathing a patient or cleansing skin. For example, Storandt (U.S. 5,019,058) teaches
15 an applicator mitt for a variety of uses including applying ointment for treating injured parts of the body. Storandt's mitt is in the form of a pouch within a heat sealed package. The material is two-ply, including a non-woven fabric and a thermoplastic film such as polyethylene or EVA.

Two mittens have been developed for use in changing the diapers of
20 babies and in performing the associated cleansing. The more recent of these is by Rojko, et al. (U.S. 4,902,283) and is a simple cylindrical mitt for cleaning babies, with an outer layer of cotton and a water-repellent inner layer. The cotton layer is stitched and the inner layer can be made of polypropylene. Rojko, et al. also teach the rotation of the mitt by 180° to
25 use "the other side."

The other baby mitten is disclosed by Lerner in U.S. 4,788,733. He teaches a two-ply glove for cleaning babies. Lerner also teaches impregnating his mitten with a cleaning solution.

In U.S. 4,523,348, Petrie describes a so-called nurse's mitt expressly
5 for bathing a patient. This mitt is broadcloth-backed terry cloth and has features designed for convenience in gripping the mitt.

Ginger, et al. (U.S. 4,347,931) also provide a mitt for cleaning a patient as well as applying an antiseptic. Their mitt is rectangular and two-ply, with a plastic, non-porous inner layer and an absorbent outer layer.
10 The mitt, which is described as disposable, is impregnated with a cleaning solution and placed in an outer package that is opened just prior to use.

However, there remains a need for a system for bathing that is effective for skin cleansing, practical, inexpensive and minimizes damage to the protective acid mantle of the skin.

15

SUMMARY OF THE INVENTION

According to its major aspects and broadly stated, the present invention is a system comprising a prepared "kit" for skin cleansing. Use
20 of the kit does not damage the acid mantle but is believed to soothe, nourish and protect the skin. The kit includes a sealable container that can be heated, preferably in a microwave oven, and a plurality of sheets impregnated with a substantially non-ionic, hydrating cleanser. Preferably, the sheets are made of a non-woven cotton or blend of
25 polyester and cotton. The size of each sheet should be large enough to cover the size of an average outstretched hand. Normally, a 9" X 9" sheet is of sufficient size, however, the sheet can be larger if desired.

Alternatively, the sheets can be made in the form of "mittens" if desired. In this embodiment, a set of mittens is impregnated with the substantially non-ionic, hydrating cleanser. The mittens are formed from rectangular, two-ply sheets heat sealed so that the user's hand can be inserted inside the mitten from the open end. Each mitten has an absorbent layer of polyester cotton adhered to a moisture-impervious layer, with the moisture-impervious layer on the inside and the absorbent layer on the outside of the mitten. The cleanser is preferably a mixture that includes at least one non-ionic surfactant, vitamin E, a humectant and/or an emollient such as dexpanthenol and de-ionized water. The sheets or mittens in the container are sterilized, or, optionally, a di-acid base such as biguanide can be added as a preservative to increase shelf life. This cleanser is moisturizing, non-rinsing, and fast drying.

Use of the present invention would significantly lessen the incidence of pressure ulcers. Perhaps more importantly, its use is believed to be essential in certain types of cases of especially high risk for infection, such as bone marrow transplant victims, burn victims, and other cases where in the auto-immune system of an individual is suppressed, such as AIDS patients.

An important feature of the present invention is the combination of a plurality of pre-impregnated sheets and the container. The exact number depends on use, as will be described in more detail in the Detailed Description of Preferred Embodiments. This combination of sheets and container provides a single-use, yet complete, sterilizable, compact personal bathing kit that can be made to high quality standards well in advance of need. The kit may be heated slightly for comfort, and the sheets can then be used to cleanse the eight zones of a human body. Each

sheet can clean one zone of the body; if in "mitten" form, there is one clean mitten per zone. One kit bathes one patient, and each kit is discarded after use. Thus, the kits lend themselves to a manufacturing process that will minimize the labor involved in kit assembly and assures kit

5 cleanliness, sterility, uniformity, and accurate formulation of the cleansing mixture. The system of the present invention complies with the National Pressure Ulcer Advisory Panel recommendations, avoids cross contamination of the patient and reduces the incidence of nosocomial infections. Furthermore, the manufacturing of a single use "kit" assures

10 that the quality of the kit is uniformly high and that the kits are compact to minimize space storage requirements.

The non-woven cotton or blend of cotton/polyester for the material of the sheets is another feature of the present invention. The sheets are durable and can remove dirt, yet are soft, and do not chemically react with

15 either the impregnated solution or the patient's body. The non-woven sheets are chemically stable to microwaves and are heat retentive. Moreover, the sheets, which can be manufactured in any convenient shape, are absorbent, assuring the retention of enough solution for effective cleansing, and soft and smooth for low friction. Finally, these sheets are

20 simple and inexpensive to manufacture, making them more affordable as a disposable item than traditional, woven cotton wash cloths and more effective than paper products. Another important feature of the present invention is the cleanser itself. By being substantially non-ionic, as a result of the use of non-ionic surfactants and de-ionized water, it cleanses

25 without disturbing the acid mantle of the skin or leaving behind minerals and chlorine. Damage to this layer and its bacteriostatic and fungistatic properties is thereby avoided. Preservation of the acid mantle is especially

important in a hospital environment where bacteria abound and the patient's resistance to nosocomial infection may be less than that of a healthy individual. De-ionized water does not have ions present in the same concentrations that are present in tap water. The additional
5 ingredients are believed to soften, soothe, nourish and protect the skin.

Still another feature of the present invention is the method of impregnating the sheets during the manufacturing process. The sheets are first saturated with cleansing solution, then the excess is removed by squeezing the sheets with sufficient pressure so that just the excess is
10 removed. This method assures the even distribution of the solution in just sufficient quantity for the task of cleansing. Removing excess solution also reduces weight and bulk of the kit, making it easier and less expensive to transport and store large numbers of kits.

Being able to sterilize the kit at a manufacturing facility is another
15 feature of the present invention. Sterilization is achieved by subjecting the kit to ultraviolet light, electron beam, or gamma radiation. Sterilization extends the shelf life indefinitely and allows use of the kits following emergencies, natural disasters, military action, and hospital emergencies involving loss of water. The present invention can also be used in
20 locations where clean water is not readily available such as by those who live in remote areas, by campers, and by those on boats.

The sealable, moisture-proof, microwave-transparent container is another feature of the present invention because it enables the mittens to be impregnated in advance without concern that they might dry out or lose
25 effectiveness, either during storage or during warming. Additionally, the container is sterilizable using a number of sterilization techniques and does

not react or degrade upon contact with the sheets or the impregnated solution.

The configuration of the mittens, contained in one embodiment, is another feature of the present invention. The mittens can be made of two-
5 ply sheets, heat sealed, and then cut.

Still another feature of the present invention is the moisture-impermeable layer on the inside of each mitten. This layer provides the user added protection from prolonged exposure to moisture as well as bacteria and viruses from the patient, such as the virus that causes AIDS
10 and hepatitis.

Finally, another feature of the present invention is that, in the preferred embodiment, it is made of disposable and recyclable materials.

Other features will be recognized for their advantages by those skilled in the art through carefully reading the Detailed Description of the
15 Preferred Embodiment accompanied by the following drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

In the figures,

20 Fig. 1 is a perspective drawing of a system according to a preferred embodiment of the present system;

Fig. 2 is a side cross-sectional view of a mitten from the system shown in Fig. 1 with a hand indicated inside the mitten;

Fig. 3 is an end view, partially cut away, of a mitten from the system
25 shown in Fig. 1 with a hand indicated inside the mitten;

Fig. 4 is a perspective schematic view of a method of using a mitten according to a preferred embodiment of the present invention;

Figs. 5A and 5B illustrate the nine areas of a human body to be cleansed according to the method and using the system of the present invention;

Fig. 6 is a perspective drawing of a system according to an
5 alternative preferred embodiment of the present system; and

Fig. 7 is a perspective schematic view of a method of using a sheet according to an alternative preferred embodiment of the present invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

10

As used herein, a "system" or "kit" is a group of related items that, when brought together, cooperate to achieve a function. Here, the system includes a container, a set of sheets, preferably as flat sheets or formed into mittens that are impregnated with a cleanser. Before use, the system is in a
15 "kit" form where the mittens are in the container and are impregnated with the cleanser. During use, one or more mittens are removed one at a time from the container, used to cleanse skin, and then discarded.

The number of sheets or mittens depends on the use. In its primary configuration, there are eight sheets or mittens for the eight zones of the
20 body. A smaller kit, containing four sheets or mittens, is preferred for partial bathing or episodes of incontinence. A still smaller kit of two sheets or mittens is preferred for small children and cleansing just the face and hands. Finally, for bathing an incontinent patient, a set of ten sheets or mittens is preferred.

25 Referring now to Fig. 1, there is illustrated one embodiment of the present invention comprising a container 10 with a set of "mittens" 12. The term "mitten" refers to a part of the present kit that is used by inserting

the hand of the user therein and that does not necessarily have separately defined areas for receiving the individual fingers of the user's inserted hand. Container 10 is preferably a simple, sturdy, sealable, substantially microwave-transparent plastic bag. It is dimensioned to hold the set of mittens 12 and to be heatable in a microwave oven, hot water or hydroculator. Alternatively, container 10 might be a metal foil pouch that can be heated in a conventional oven or hydroculator. A plastic container intended for microwave heating is preferably opened by using notched edge or a perforated tear end (not shown) or other easily-made opening, such as a "rib-and-groove" seal. Container 10 itself is preferably opened by a perforation along one edge that can be opened by tearing along the perforations to unseal container 10.

Each mitten (see Figs. 2 and 3) can be and preferably is made of a two-layered sheet of material, such as non-woven cotton or a polyester/cotton blend, with a first, absorbent layer 18 adhered to a second, moisture-impervious layer 20 so that the mitten is rectangular (as shown) or semi-oval. These layers may be adhered by flame laminating or heat sealing or other standard technique. The rectangle is formed into mitten 12 by heat sealing two separate sheets or by making a fold 22, moisture-impervious layer 20 inside and leaving one side slightly longer than the other, preferably by one-half inch, and then joining edges 24, 26, on either side of fold 22 by radio-frequency welding, heat-sealing or sewing, leaving one remaining edge 28 unsealed. Mitten 12 should be large enough for a user to fit a hand 32 comfortably inside.

Absorbent layer 18 is made of a material and of enough such material that it will absorb and hold a quantity of cleanser sufficient to cleanse a portion of the body. Materials made of paper, cotton, and

synthetic fibers are suitable, but preferably a cotton-polyester blend is used because of its absorbency, heat-retentive qualities, strength and low cost. This blend also has a low coefficient of friction against the human body that will remove dirt but without damaging skin tissue. Moisture-

- 5 impervious layer 20, which is preferably a synthetic rubber or plastic such as polypropylene or polyethylene, is to help reduce the exposure of the hands of the user to moisture and to bacteria and viruses.

The cleanser is substantially non-ionic and very slightly acidic (pH 6.5-6.7) to preserve the acid mantle. An ionic cleanser, especially a strong
10 base like soap, is harmful to this natural barrier. Preferably, the cleanser includes one or more surfactants (F68 and F108, for example), wetting agents that are non-ionic and that are dissolved in de-ionized water. De-ionized water will have fewer ions (and bacteria) than tap water and will also have a very slightly acidic pH between approximately 6.5 and
15 approximately 6.7. The water alternatively can be purified through reverse osmosis, hyperfiltration or other technique. Also, the cleanser includes a hydrating factor or humectant, commonly called a moisturizer for retaining water, or an emollient for holding in the moisture, or both. Finally, the cleanser includes vitamin E and may also include a di-acid base such as
20 biguanide as a preservative. Such a cleanser is manufactured by Sage Pharmaceutical and sold under the trademark DERMACLIN.

By reducing surface tension, surfactants enable the ingredients of the present solution to mix better with each other and they wet the skin surface better to enable the solution to spread more easily. Unlike
25 cleansers, the preferred surfactant F68, regardless of concentration, does not inhibit the skin's ability to fight infection.

Biguanide is formed by the action of an ammoniacal solution of cupric oxide and dicyanodiamide and is of the form:



5

Biguanide is related to guanine, one of the four amino acids that form the genetic code. Biguanide is believed to have anti-bacterial and anti-viral properties and acts as a preservative. Vitamin E has been known to promote the healing of skin for several years. Humectants absorb water molecules; emollients hold moisture to the skin.

10

The contents of the kit may be sterilized by subjecting the sheets and container to ultraviolet light, electron beam, gamma radiation or other technique. If the kit is to be sterilized, biguanide may not be needed.

15

This cleansing mixture does not dry the skin, and it does not have to be rinsed. All of the ingredients remaining after evaporation are intended to remain on the skin to seal in moisture, yet without leaving a harmful or uncomfortable residue, hence the term "non-rinsing," which minimizes cross contamination and water exposure; specifically, the term "non-rinsing" is used to mean that the solution should not be rinsed from the body (although it can be), but is intentionally left to dry. While not wishing to be bound by theory, it is believed that the combination in the cleansing solution not only cleanses but protects, soothes, softens and nourishes the skin.

20

The mittens are designed to be disposable; that is, they are made of cost-effective and biodegradable or recyclable materials and are mass producible so that the cost of the kit is lower than the cost of laundered wash cloths. Therefore, in the present context, disposable means that the

25

mittens are used once and then thrown away in an appropriate receptacle for disposal or recycling, but not laundered for reuse.

In use, container 10 is unsealed by tearing from a notched edge or along a perforated end, placed in a microwave oven 40 and heated until
5 warm to the touch, but not hotter than 120° F or 56° C (see Fig. 4) and preferably about body temperature. Then container 10 is opened and one mitten 12 removed at a time. The user places a hand 42 inside the first mitten 12 and washes a portion of the body of a patient 44. When that
10 portion has been washed, mitten 12 is discarded into an appropriate waste receptacle 46, and the next mitten withdrawn from container 10. Each mitten is used in sequence and then discarded. This approach prevents the contamination of one part of the body by bacterial flora from another.

The areas of the body are illustrated in Figs. 5a and 5b. These areas include the head, neck and chest area 50, the right arm 52, the left arm 54,
15 the right leg 58, the left leg 60, the perineum 62, the back 64 and the buttocks 66.

Whether in the form of mittens or sheets, the following process is used to bathe the body. The first mitten 12 is used on the patient's face, neck and chest area 50. The first mitten 12 is then discarded and the
20 second mitten 12 withdrawn from container 10. One at a time, second and third mittens 12 are applied to the patient's right arm 52, including its axilla, and to his left arm 54, including the left axilla, respectively. The second and third mittens 12 are discarded as each one is used. The fourth mitten 12 is applied to the patient's right leg 58, discarded, and a fifth
25 mitten 12 applied to his left leg 60, and it, too, is discarded. A sixth mitten 12 is removed and applied to the patient's perineal area 62. Finally, the

seventh and eighth mittens 12 are applied to the patient's back 64 and buttocks 66, respectively, each being discarded after use.

Referring to Figure 6, there is illustrated an alternative preferred embodiment of the present invention comprising container 10 and a plurality of sheets 70. Preferably, container 10 is dimensioned to hold between two and twelve sheets 70. Sheets 70 can be made of any chemically stable, non-reactive, heat retentive, absorbent, soft and non-abrasive material. Preferably, sheets 70 are made of a non-woven blend of polyester and cotton, due to the knitted blend's low cost and superior absorbency characteristics. Sheets 70 are impregnated with cleanser, and can be manufactured in any size or shape, but should be large enough to cover an outstretched human hand. Normally, a 9" X 9" sheet is of sufficient size.

The cleanser is applied to sheets 70 by first saturating the sheets in the cleanser, and subsequently removing the excess cleanser by "ringing" or squeezing between rollers until a moist, but less than saturated sheet is achieved. This method of impregnation is necessary to ensure a just-sufficient amount of cleanser for effective cleaning without abrasion but no excess runs from the sheet when applied to the skin. Excess solution is both wasteful, can run when applied to the patient and affects evaporation time. Furthermore, removal of excess solution reduces both bulk and weight. By careful packing of moistened sheets in a container, a ten-to-one reduction of bulk can be achieved over the former process using soaked wash clothes. Transportation and storage costs are reduced as is the cost of the solution. These costs are not trivial; it is important, given the number of baths given patients in hospitals, to keep the cost associated with each disposable kit low.

Figure 7 illustrates an alternative embodiment in use. As with the previous embodiment of the present invention, container 10 is placed in a microwave oven 40 and heated until just warmed to the touch, but not hotter than 120° F or 56° C and preferably about body temperature. Then
5 container 10 is opened and one sheet 70 is removed. The user grasps sheet 70 with hand 42 and cleans a portion of the patient's body 80. After use, sheet 70 is discarded and the process repeated until the patient is fully cleansed.

Use of a kit in accordance with the preferred embodiments and
10 method of the present invention avoids cross contamination and the spread of nosocomial infection, reduces the incidence of pressure ulcers and complies with the recommendations of the National Pressure Ulcer Advisory Panel and the AHCPR Guidelines. It provides a solution to the bathing needs of immuno-system suppressed individuals. It provides a
15 portable, light-weight cleansing kit for individuals who have a stoma, such as ostomy, colostomy, and ileostomy, and who presently have a high risk of skin breakdown at the peri-stomal site, to cleanse without using soap, water and a wash cloth. It offers substantial cost savings over the former procedures. Furthermore, a kit accordingly to the present invention can be
20 used for personal bathing, for example, for otherwise healthy individuals who are concerned with the condition of their skin or whose skin is at risk, such as the elderly, or when conventional bathing is not possible or practical, such as during emergencies, natural disasters, on board a sailboat or when camping.

25 It will be apparent to those skilled in the art from a reading of the foregoing detailed description that many modifications and substitutions may be made in the preferred embodiment described without departing

from the spirit and scope of the present invention, which is defined by the appended claims.

WHAT IS CLAIMED IS:

1. A system for use by a user to cleanse skin, said system comprising:

5 a moisture-impermeable container;
a plurality of elements of an absorbent material in said container;
and

a substantially non-ionic cleanser carried by said plurality of elements and said container being sealed.

10

2. The system as recited in claim 1, wherein said elements include a humectant.

3. The system as recited in claim 1, wherein said non-ionic cleanser
15 is non-rinsing.

4. The system as recited in claim 1, wherein said elements include a non-ionic surfactant.

20 5. The system as recited in claim 1, wherein at least some of said elements include an emollient.

6. The system as recited in claim 1, wherein said container is made of cross-linked polyethylene.

25

7. The system as recited in claim 1, wherein said container is substantially transparent to microwaves.

8. The system as recited in claim 1, wherein said elements and said container are sterilized.

5 9. The system as recited in claim 1, wherein said plurality of elements includes at least two sheets, but not more than twelve sheets.

10 10. The system as recited in claim 1, wherein said plurality of elements are made of a non-woven polyester and cotton blend.

11. The system as recited in claim 1, wherein each element of said plurality of elements which measure at least nine inches by nine inches.

12. The system as recited in claim 1, wherein said elements are a plurality of which are impregnated with said cleanser by saturating said plurality of sheets with said cleanser and removing an excess portion of said cleanser from said plurality of sheets, leaving said plurality of sheets moistened with said cleanser.

20 13. A system for use by a user to cleanse skin, said system comprising:

 a moisture-impermeable, heatable container;

 a plurality of sheets of an absorbent, heatable material in said container;

25 a cleanser carried by each sheet of said plurality of sheets, said cleanser including de-ionized water and at least one surfactant,

said plurality of sheets and said container being sterilized and said container sealed.

14. The system as recited in claim 13, wherein said cleanser
5 includes a preservative.

15. The system as recited in claim 13, wherein said cleanser includes a humectant or an emollient.

10 16. The system as recited in claim 13, wherein said cleanser includes vitamin E.

17. The system as recited in claim 13, wherein said container is substantially transparent to microwaves.
15

18. The system as recited in claim 13, wherein said container includes biguanide.

19. A system for use by a user to cleanse skin, said system
20 comprising:

a container made of cross-linked polyethylene;

a plurality of sheets in said container, said sheets made of a non-woven blend of cotton and polyester; and

a cleanser carried by each sheet of said plurality of sheets, said
25 cleanser being hydrating and containing at least one surfactant and de-ionized water,

said plurality of sheets and said container being sterilized and said container sealed.

20. The system as recited in claim 19, wherein said plurality of
5 sheets is at least two sheets and less than twelve sheets.

21. The system as recited in claim 19, wherein said solution contains a humectant or an emollient.

10 22. The system as recited in claim 19, wherein said solution is applied to said sheets by soaking said sheets in said solution and then removing excess solution so that, when applied to the skin, no excess solution runs from said sheets.

15 23. A system for use by a user to cleanse skin, said system made according to a process comprising the steps of:
soaking a plurality of sheets of material in a non-rinsing, hydrating solution;
removing excess solution from said plurality of sheets;
20 sterilizing said plurality of sheets;
sterilizing a container;
placing said plurality of sheets in said container; and
sealing said container with said sheets therein.

25 24. The system as recited in claim 23, wherein said solution includes a surfactant, a humectant, and an emollient in de-ionized water.

25. The system as claimed in claim 1, wherein said container includes an anti-microbial agent.

26. The system as claimed in claim 1, wherein said cleanser
5 includes an anti-bacterial agent.

27. The system as claimed in claim 25, wherein said agent is biguanide.

10 28. The system as claimed in claim 26, wherein said agent is biguanide.

29. A system for use by a user to cleanse skin, said system comprising:
15 a moisture-impermeable container;
a plurality of elements of an absorbent material in said container;
and
a cleanser carried by said plurality of elements, said cleanser including an anti-microbial agent and said container being sealed.

20 30. The system as claimed in claim 29, wherein said cleanser includes a humectant.

31. The system as claimed in claim 29, wherein said cleanser is
25 non-rinsing.

32. The system as claimed in claim 29, wherein said cleanser includes a surfactant.

5 33. The system as claimed in claim 29, wherein said cleanser includes an emollient.

34. The system as claimed in claim 29, wherein said container is made of cross-linked polyethylene.

10 35. The system as claimed in claim 29, wherein said container is substantially transparent to microwaves.




15 36. The system as claimed in claim 29, wherein said elements are sheets and said sheets and said container are sterilized.


37. The system as claimed in claim 29, wherein said plurality of elements are sheets comprising at least two sheets but not more than twelve sheets.


20 38. The system as claimed in claim 29, wherein said plurality of elements are made of a non-woven polyester and cotton blend.


25 39. The system as claimed in claim 29, wherein each element of said plurality of elements measures at least nine inches by nine inches.

40. The system as claimed in claim 29, wherein said cleanser is a non-ionic cleanser.









INTERNATIONAL SEARCH REPORT

International application No.

PCT/US95/02343

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :A61M 35/00

US CL :Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 2/158, 159, 164, 167; 15/104.94, 227; 206/438; 294/1.3; 604/289-292

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS:

Search Terms: septi-soft, dermaclin, cleanser, purified water, emollient, humectant, moisturiz?, vitamin E, biguanide, de-ioniz?

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,847,071, (BISSETT ET AL.), 11 July 1989. See column 15-column 26, and in particular column 15 lines 66 and 68, column 17 lines 32-67; and column 20 line 14.	1-9, 11-18, 25-37, 39, 40
A	US, A, 5,229,105, (WILMSMANN), 20 July 1993. See entire disclosure.	1-40
A	US, A, 4,902,283, (ROJKO ET AL.), 20 February 1990. See Fig. 4, and column 3 lines 53 and 63-64.	1-40

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:	T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be part of particular relevance	X	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
I earlier document published on or after the international filing date	Y	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
I document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	G	document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means		
P document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

30 MARCH 1995

Date of mailing of the international search report

12 APR 1995

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

MARY BETH JONES

Telephone No. (703) 308-3400

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US95/02343

A. CLASSIFICATION OF SUBJECT MATTER:
US CL :

2/158, 159, 164, 167; 15/104.94, 227; 206/438; 294/1.3; 604/289-292